

	Type	L #	Hits	Search Text
1	BRS	L1	59759	capacit\$5 near2 (sensor detector transducer measur\$5)
2	BRS	L2	8899	1 and (second couple two plural\$5) near2 (electrode)
3	BRS	L3	3535	2 and (switch\$5)
4	BRS	L4	736	3 and (overlap\$5)
5	BRS	L5	604	4 and (displac\$5 mov\$5)
6	BRS	L6	458	5 and (distance)
7	BRS	L7	104	6 and (pair two couple plural\$5) near2 (substrate)
8	BRS	L8	34	7 and (second two plural\$5 pair couple) near2 (switch\$4)
9	BRS	L9	6	7 and (second two plural\$5 pair couple) near2 (switch\$4) near2 (electrode)
10	BRS	L10	7311	capacit\$5 near2 (sensor detector transducer measur\$5).clm.
11	BRS	L11	1780	10 and (second couple two plural\$5) near2 (electrode)
12	BRS	L12	1091	10 and (second couple two plural\$5) near2 (electrode).clm.
13	BRS	L13	34	12 and (second two plural\$5 pair couple) near2 (switch\$4) near2 (electrode).clm.

	DBs	Time Stamp	Comments	Error Definition	Errors
1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 10:00			0
2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 10:01			0
3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 09:53			0
4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 10:02			0
5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 09:54			0
6	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 09:55			0
7	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 09:55			0
8	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 10:00			0
9	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 10:01			0
10	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 10:00			0
11	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 10:01			0
12	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 10:08			0
13	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 10:08			0

	Type	L #	Hits	Search Text
14	BRS	L14	6	13 and (overlap\$5)
15	BRS	L15	1185	10 and (pair second couple two plural\$5) near2 (electrode).clm.
16	BRS	L16	36	15 and (second two plural\$5 pair couple) near2 (switch\$4) near2 (electrode).clm.
17	BRS	L17	6	16 and (overlap\$5)

	DBs	Time Stamp	Comments	Error Definition	Errors
14	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 10:08			0
15	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 10:08			0
16	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 10:08			0
17	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/20 10:09			0

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	92434	(second two plural\$5 pair couple) near2 (electrode).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT
2	BRS	L2	2026	1 and (second two plural\$5 pair couple) near2 (switch\$5) near2 (electrode).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT
3	BRS	L3	268	2 and (sensor detector transducer).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT
4	BRS	L4	54	3 and (displace\$5 mov\$5).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT
5	BRS	L5	7	4 and (overlap\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT
6	BRS	L6	144	3 and (displace\$5 mov\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT
7	BRS	L7	14	6 and (overlap\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT
8	BRS	L8	11	7 and (capacit\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT
9	BRS	L9	236	"capacitive type sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT
10	BRS	L10	58	9 and (second two plural\$5 pair couple) near2 (electrode)	USPAT; US-PGPUB; EPO; JPO; DERWENT
11	BRS	L11	2	10 and (second two plural\$5 pair couple) near2 (switch\$5) near2 (electrode)	USPAT; US-PGPUB; EPO; JPO; DERWENT
12	BRS	L12	0	11 and (overlap\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT
13	BRS	L13	33	10 and (switch\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT
14	BRS	L14	1	13 and (overlap\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT
15	BRS	L15	4347	capacit\$5 near2 type near2 (sensor detector transducer measur\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT
16	BRS	L16	1105	15 and (second two plural\$5 pair couple) near2 (electrode)	USPAT; US-PGPUB; EPO; JPO; DERWENT
17	BRS	L17	18	16 and (second two plural\$5 pair couple) near2 (switch\$5) near2 (electrode)	USPAT; US-PGPUB; EPO; JPO; DERWENT
18	BRS	L18	5	17 and (overlap\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Time Stamp	Comments	Error Definition	Errors
1	2004/07/20 10:22			0
2	2004/07/20 10:23			0
3	2004/07/20 10:12			0
4	2004/07/20 10:15			0
5	2004/07/20 10:15			0
6	2004/07/20 10:25			0
7	2004/07/20 10:23			0
8	2004/07/20 10:15			0
9	2004/07/20 10:23			0
10	2004/07/20 10:24			0
11	2004/07/20 10:24			0
12	2004/07/20 10:25			0
13	2004/07/20 10:23			0
14	2004/07/20 10:23			0
15	2004/07/20 10:31			0
16	2004/07/20 10:32			0
17	2004/07/20 10:32			0
18	2004/07/20 10:32			0

	Type	L #	Hits	Search Text	DBs
19	BRS	L19	4	18 and (displace\$5 mov\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT
20	BRS	L20	4	18 and (displac\$6 mov\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT
21	BRS	L21	352	capacit\$5 near2 type near2 (sens\$4 detect\$4 transducer measur\$5).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT
22	BRS	L22	159	21 and (second two plural\$5 pair couple) near2 (electrode)	USPAT; US-PGPUB; EPO; JPO; DERWENT
23	BRS	L23	5	22 and (second two plural\$5 pair couple) near2 (switch\$5) near2 (electrode)	USPAT; US-PGPUB; EPO; JPO; DERWENT
24	BRS	L24	3	23 and (overlap\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Time Stamp	Comments	Error Definition	Errors
19	2004/07/20 10:25			0
20	2004/07/20 10:25			0
21	2004/07/20 10:31			0
22	2004/07/20 10:32			0
23	2004/07/20 10:32			0
24	2004/07/20 10:32			0